

INFORMATION DISCLOSURE CITATION

Form PTO-1449 (Modified)

(Use several sheets if necessary)

ATTY. DOCKET NO.
2300-1544SERIAL NO.
09/433,360

APPLICANT


Khoja, et al.

FILING DATE

November 3, 1999

GROUP

1643

U.S. PATENT DOCUMENTS

Examiner Initial	Document Number	Date	Name	Class	Subclass	Filing Date If Appropriate

FOREIGN PATENT DOCUMENTS

	Document Number	Date of Publication	Country	Class	Subclass	Translation	
						Yes	No

OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

✓	AA-1	Aiuti et al. (January 1997), "The Chemokine SDF-1 is a Chemoattractant for Human CD34 ⁺ Hematopoietic Progenitor Cells and Provides a New Mechanism to Explain the Mobilization of CD34 ⁺ Progenitors to Peripheral Blood," <i>J. Exp. Med.</i> , Vol. 185(1):111-120.
✓	AB-1	Allavena et al. (1994), "Induction of Natural Killer Cell Migration by Monocyte Chemotactic Protein-1, -2, and -3," <i>Eur. J. Immunol.</i> , Vol. 24:3233-3236.
✓	AC-1	Berger et al. (1999), "Chemokine Receptors as HIV-1 Coreceptors: roles in Viral Entry, Tropism, and Disease," <i>Annu. Rev. Immunol.</i> , Vol. 17:657-700.
✓	AD-1	Bleul et al. (August 1996), "The Lymphocyte Chemoattractant SDF-1 is a Ligand for LESTR/Fusin and Blocks HIV-1 Entry," <i>Nature</i> , Vol. 382:829-833.
✓	AE-1	Carr et al. (April 1994), "Monocyte Chemoattractant Protein 1 Acts as a T-Lymphocyte Chemoattractant," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 91:3652-3656.
✓	AF-1	Castor et al. (February 1983), "Structural and Biological Characteristics of Connective Tissue Activating Peptide (CTAP-III), a Major Human Platelet-Derived Growth Factor," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 80:765-769.
✓	AG-1	Dahinden et al. (November 1989), "The Neutrophil-Activating Peptide NAF/NAP-1 Induces Histamine and Leukotriene Release by Interleukin 3-Primed Basophils," <i>J. Exp. Med.</i> , Vol. 170:1787-1793.
✓	AH-1	Liao et al. (November 1995), "Human Mig Chemokine: Biochemical and Functional Characterization," <i>J. Exp. Med.</i> , Vol. 182:1301-1314.
✓	AI-1	Graham et al. (March 1990), "Identification and Characterization of an Inhibitor of Haemopoietic Stem Cell Proliferation," <i>Nature</i> , Vol. 344:442-444.
✓	AJ-1	Hillier et al. (October 27, 1995) GenBank Accession No.: H67224
✓	AK-1	Hillier et al. (1996), "Generation and Analysis of 280,000 Human Expressed Sequence Tags," <i>Genome Research</i> , Vol. 6:807-828.
✓	AL-1	Larsen et al. (March 1989), "The Neutrophil-Activating Protein (NAP-1) is Also Chemotactic for T Lymphocytes," <i>Science</i> , Vol. 243:1464-1466.

8-20-02

INFORMATION DISCLOSURE CITATION

Form PTO-1449 (Modified)

(Use several sheets if necessary)

ATTY. DO. NO.
2300-1544SERIAL NO.
09/433,360

APPLICANT


Khoja, et al.

FILING DATE

November 3, 1999

GROUP

1643



OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)

J	AM-1	Loetscher et al. (1996), "Activation of NK Cells by CC Chemokines: Chemotaxis, Ca ² Mobilization and Enzyme Release," <i>J. of Immunol.</i> , Vol. 156:322-327.
J	AN-1	Luster et al. (July 1995), "The IP-10 Chemokine Binds to a Specific Cell Surface Heparan Sulfate Site Shared with Platelet Factor 4 and Inhibits Endothelial Cell Proliferation" <i>J. Exp. Med.</i> , Vol. 182:219-231.
J	AO-1	Maione et al. (January 1990), "Inhibition of Angiogenesis by Recombinant Human Platelet Factor-4 and Related Peptides," <i>Science</i> , Vol. 247:77-79.
J	AP-1	Oberlin et al. (August 1996), "The CXC Chemokine SDF-1 is the Ligand for LESTR/Fusin and Prevents Infection by T-Cell-Line-Adapted HIV-1," <i>Nature</i> , Vol. 382:833-835.
J	AQ-1	Pelchen-Matthews et al. (1999), "Chemokine Receptor Trafficking and Viral Replication," <i>Immunological Reviews</i> , Vol. 168:33-49.
J	AR-1	Schröder et al. (November 1987), "Purification and Partial Biochemical Characterization of a Human Monocyte-Derived, Neutrophil-Activating Peptide that Lacks Interleukin 1 Activity," <i>J. of Immunol.</i> , Vol. 139(10):3474-3483.
J	AS-1	Shyamala et al. (1998), "Interleukin-8 Receptors R1 and R2 Activate Mitogen-Activated Protein Kinases Induce c-fos, Independent of Ras and Raf-1 in Chinese Hamster Ovary Cells," <i>Biochemistry</i> , Vol. 37:15918-15924.
J	AT-1	Thompson et al. (1994), "CLUSTAL W: Improving the Sensitivity of Progressive Multiple Sequence Alignment Through Sequence Weighting, Position-Specific Gap Penalties and Weight Matrix Choice," <i>Nucleic Acids Research</i> , Vol. 22(22):4673-4680.
J	AU-1	Uguccioni et al. (Actions of the Chemotactic Cytokines MCP-1, MCP-2, MCP-3, RANTES, MIP-1 α and MIP-1 β on Human Monocytes," <i>Eur. J. Immunol.</i> , Vol. 25:64-68.
J	AV-1	Valente et al. (1988), "Purification of a Monocyte Chemotactic Factor Secreted by Nonhuman Primate Vascular Cells in Culture," <i>Biochemistry</i> , Vol. 27:4162-4168.
J	AW-1	Walz et al. (December 1987), "Purification and Amino Acid Sequencing of NAF, A Novel Neutrophil-Activating Factor Produced by Monocytes," <i>Biochem. and Biophys. Res. Comm.</i> , Vol. 149:755-761.
J	AX-1	Wells et al. (1999), "Chemokine Receptors and their Role in Leukocyte Activation," <i>Immunology Letters</i> , Vol. 65:35-40.
J	AY-1	White et al. (1989), "Neutrophil Attractant/Activation Protein-1 (NAP-1) Causes Human Basophil Histamine Release," <i>Immunology Letters</i> , Vol. 22:151-154.
J	AZ-1	Yoshimura et al. (December 1987), "Purification of a Human Monocyte-Derived Neutrophil Chemtactic factor that has a Peptide Sequence Similarity to Other Hast Defense Cytokines," <i>Proc. Natl Acad. Sci. USA</i> , Vol. 84:9233-9237.

EXAMINER

DATE CONSIDERED

8-20-02

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.